

<b>Company</b>		<b>DUNS#</b>	<b>URL For Additional Information</b>
National Semiconductor		04-147-2986	<a href="http://www.national.com/analog/quality/green">http://www.national.com/analog/quality/green</a>

<b>Contact</b>	<b>Title</b>	<b>Phone</b>	<b>Email</b>
Lorena Dudman	Product Stewardship Eng. Mgr	1-408-721-8180	Green.Project@nsc.com

<b>Part Number</b>	<b>MSL Rating</b>	<b>Peak Body Temp C</b>	<b>MaxTime(Sec)</b>	<b>Cycles</b>	<b>Unit Type</b>
LM34DH NOPB	1	NA	NA	NA	Each

<b>Document Date</b>	European RoHS Compliant. China RoHS Compliant.	<b>Weight (mg)</b>	Does NOT Contain Halogens
01-17-2012		279.31	

**Material Composition Declaration for Electronic Products**

Item	Weight (mg)	Component	CAS#	Weight (mg)	Item-ppm	Part-ppm
Plating	8.100	Ni	7440-02-0	8.100	1,000,000	29,000
Lid	72.500	Ni	7440-02-0	72.500	1,000,000	259,569
Leads	59.700	Fe	7439-89-6	34.626	580,000	123,970
		Ni	7440-02-0	25.074	420,000	89,772
Glass	5.000	SiO2	60676-86-0	4.030	806,000	14,428
		B2O3	1303-86-2	0.650	130,000	2,327
		Na2O	12401-86-4	0.200	40,000	716
		Al2O3	1344-28-1	0.120	24,000	430
Ext. LeadFinish	2.990	Sn	7440-31-5	2.885	965,000	10,329
		Ag	7440-22-4	0.090	30,000	322
		Cu	7440-50-8	0.015	5,000	54
Eyelet	129.501	Fe	7439-89-6	128.671	993,600	460,676
		Mn	7439-96-5	0.583	4,500	2,087
		C	7440-44-0	0.130	1,000	465
		S	63705-05-5	0.065	500	233
		P	7723-14-0	0.052	400	186
Chip	1.350	Si	7440-21-3	1.342	994,000	4,805
		Al	7429-90-5	0.008	6,000	29
Die Attach	0.161	Ag	7440-22-4	0.121	750,000	433
		Epoxy Resin	25928-94-3	0.040	250,000	143
Wires	0.007	Al	7429-90-5	0.007	1,000,000	25

**Note:** The device content disclosed herewith is approximate and is based on engineering estimates only. It has not been verified through analytical testing.  
 Additionally, the following should be noted:  
 1. One or more dopant materials may be present in the silicon die at sub-ppm levels to provide semiconductor properties.  
 2. Epoxy resin components listed are generic and may or may not be the specific compound used, which is considered proprietary.

**RoHS Material Composition Declaration**

<b>RoHS Directive 2002/95/EC</b>	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium
----------------------------------	--

Subject to the limitations below, National Semiconductor Corporation ("National") certifies the following information as of the document date.

- National products designated "ROHS Compliant" comply with the European Unions Directive on the Restriction of the Use of Hazardous Substances 2002/95/EC ("RoHS"). Certain National products contain lead in RoHS exempt applications 7(a) or 7(c)-I.
- National products do not contain and are not manufactured with ozone depleting compounds.
- National products do not contain substances identified by the European Chemical Agency ("ECHA") as substances of very high concern ("SVHC") per REACH Regulation (EC) No 1907/2006. National also complies with use restrictions as stipulated in Annex XVII of REACH.
- National products are manufactured in conformance with National specifications (SC)CSP-9-111C1 Supplier Environmental Requirements for Materials and Products and (SC)CSP-9-111S2 Banned and Reportable Substances.
- National's list of banned and reportable substances and management system is based on the current version of the Joint Industrial Guide, JIG-101.

National has taken commercially reasonable steps to provide representative and accurate information but may not have independently verified information provided or conducted chemical analysis of incoming materials. Equivalent compliant materials may have been substituted for those stated herein. Material concentrations are the maximum expected concentration of the substance in the device and may not represent the actual concentration. National and its suppliers consider certain limited information to be confidential and thus CAS numbers and other limited information may not be available for release. Nationals Standard Terms and Conditions of Sale apply to any issue arising out of or in connection with the information provided herein unless otherwise provided by a written contract signed by both parties.

NATIONAL ACCEPTS NO DUTY TO NOTIFY USERS OF THIS DECLARATION OF UPDATES OR CHANGES TO THIS DECLARATION.

*John L. Conn*  
John L. Conn  
Vice President Quality

**John L. Conn**  
**Vice President Quality**

**Banned Substance Monitoring**

Part Number		Document Date
LM34DH	NOPB	01-17-2012

European RoHS Compliant.

China RoHS Compliant.

Item#	Material	Cd	CrVI	Pb	Hg	PBB	PBDE	Cl	Br	Ref#
1	CHIP	<1	<1	<1	<30	<10	<10	<75	<50	1000
2	EPOXY	<2	<2	<2	<2	<5	<5	<50	<50	32
3	HEADER	<2	<2	<2	<2	<5	<5	N/A	N/A	672
4	WIRE	<2	N/D	<2	<2	<5	<5	N/A	N/A	604

\* Cd: Cadmium, CrVI: Hexavalent Chromium, Pb: Lead, Hg: Mercury, NA: Not Applicable

\* Unless otherwise noted, units are in PPM (parts-per-million)

Ref#	3rd Party Analysis (available upon request, subject to a non-disclosure agreement)
1000	Analysis on 01/24/2011 by Balazs as per Report# 11-00322-00
32	Analysis on 04/29/2011 by SGS per Report# LPCI/04433(B)/11
672	Analysis on 04/29/2011 by SGS per Report# LPCI/04430(B)/11
604	Analysis on 04/29/2011 by SGS per Report# LPCI/04451(B)/11