

		<b>Material Composition Declaration</b> Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.		This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.						
1752-2 1.1		IPC Web Site for Information on IPC-1752 Standard <a href="http://www.ipc.org/IPC-175x">http://www.ipc.org/IPC-175x</a>		<b>Form Type *</b> <b>Distribute</b>		<b>Declaration Class *</b> <b>Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information</b>				
<b>Supplier Information</b>										
<b>Company Name *</b> <b>National Semiconductor</b>		Company Unique ID NATSEMI		Unique ID Authority 04-147-2986		<b>Response Date *</b> 11-11-2011		Response Document ID		
Contact Name * Lorena Dudman		Title - Contact Product Stewardship Eng.		Phone - Contact * 1-408-721-8180		Email - Contact * Green.Project@nsc.com				
Authorized Representative * Lorena Dudman		Title - Representative Product Stewardship Eng.		Phone - Representative * 1-408-721-8180		Email - Representative * Green.Project@nsc.com		Supplier Comments or URL for Additional Information <a href="http://www.national.com/analog/quality/green">http://www.national.com/analog/quality/green</a>		
	Requester Item Number	Mfr Item Number	Mfr Item Name	Effective Date	Version	Manufacturing Site	<b>Weight *</b>	UOM	Unit Type	
		ADC08D1000WGMPPR	ADC08D1000WGMPPR	11-11-2011			<b>8504.00</b>	mg	Each	
	Alternate Recommendation				Alternate Item Comments					
<b>Manufacturing Process Information</b>										
Terminal Plating / Grid Array Material <b>NiAu</b>		Terminal Base Alloy <b>Kovar</b>		J-STD-020 MSL Rating <b>1</b>		Peak Process Body Temperature <b>260 C</b>		Max Time at Peak Temperature <b>40 seconds</b>		Number of Reflow Cycles <b>4</b>
<b>Comments</b> <b>"Does not contain PFOS."</b>										

<b>RoHS Material Type Declaration</b>	<b>Declaration Type * Custom</b>
---------------------------------------	----------------------------------

<b>RoHS Directive 2002/95/EC</b>	<b>RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium</b>
--------------------------------------	---

Subject to the limitations below, National Semiconductor Corporation ("National") certifies the following information as of the document date.

1. National products designated "ROHS Compliant" comply with the European Unions Directive on the Restriction of the Use of Hazardous Substances 2002/95/EC ("RoHS"). Certain National products contain lead in RoHS exempt applications 7(a) or 7(c)-I.
2. National products do not contain and are not manufactured with ozone depleting compounds.
3. National products do not contain substances identified by the European Chemical Agency ("ECHA") as substances of very high concern ("SVHC") per REACH Regulation (EC) No 1907/2006. National also complies with use restrictions as stipulated in Annex XVII of REACH.
4. National products are manufactured in conformance with National specifications (SC)CSP-9-111C1 Supplier Environmental Requirements for Materials and Products and (SC)CSP-9-111S2 Banned and Reportable Substances.
5. National's list of banned and reportable substances and management system is based on the current version of the Joint Industrial Guide, JIG-101.

National has taken commercially reasonable steps to provide representative and accurate information but may not have independently verified information provided or conducted chemical analysis of incoming materials. Equivalent compliant materials may have been substituted for those stated herein. Material concentrations are the maximum expected concentration of the substance in the device and may not represent the actual concentration. National and its suppliers consider certain limited information to be confidential and thus CAS numbers and other limited information may not be available for release. National's Standard Terms and Conditions of Sale apply to any issue arising out of or in connection with the information provided herein unless otherwise provided by a written contract signed by both parties.

NATIONAL ACCEPTS NO DUTY TO NOTIFY USERS OF THIS DECLARATION OF UPDATES OR CHANGES TO THIS DECLARATION

<b>RoHS Declaration *</b> 1 - Item(s) does not contain RoHS restricted substances per the definition above	<b>Supplier Acceptance *</b>	<b>Accepted</b>
--	------------------------------	-----------------

**Exemptions:** If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration and above and choose all applicable exemptions.

<b>Declaration Signature</b>
------------------------------

<b>Supplier Signature</b>	 John L. Conn Vice President Quality	<b>John L. Conn Vice President Quality</b>
---------------------------	---	--

## Homogeneous Material Composition Declaration for Electronic Products

Item/SubItem Name	Homogeneous Material	Weight	Unit of Measure	Level	Substance Category	Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance	PPM
	Leads	828.000	mg	Requester		Fe	7439-89-6		447.120	mg		540,000
				Requester		Ni	7440-02-0		240.120	mg		290,000
				Requester		Co	7440-48-4		140.760	mg		170,000
	Lid Attach	55.400	mg	Requester		Au	7440-57-5		44.320	mg		800,000
				Requester		Sn	7440-31-5		11.080	mg		200,000
	Lid	508.000	mg	Requester		Fe	7439-89-6		269.240	mg		530,000
				Requester		Ni	7440-02-0		150.368	mg		296,000
				Requester		Co	7440-48-4		81.280	mg		160,000
				Requester		Au	7440-57-5		7.112	mg		14,000
	Heat Sink	4593.000	mg	Requester		W	7440-33-7		4133.700	mg		900,000
				Requester		Cu	7440-50-8		459.300	mg		100,000
	Ni Plate	41.100	mg	Requester		Ni	7440-02-0		37.935	mg		923,000
				Requester		Co	7440-48-4		2.836	mg		69,000
				Requester		Pd	7440-05-3		0.288	mg		7,000
				Requester		B	7440-42-8		0.041	mg		1,000
	Metallization	289.000	mg	Requester		W	7440-33-7		271.371	mg		939,000
				Requester		Mo	7439-98-7		17.629	mg		61,000
	Heatsink Finish	202.000	mg	Requester		Ag	7440-22-4		145.440	mg		720,000
				Requester		Cu	7440-50-8		56.560	mg		280,000
	Ceramic Body	1817.000	mg	Requester		Al2O3	1344-28-1		1642.132	mg		903,760
				Requester		Cr2O3	1308-38-9		71.390	mg		39,290
				Requester		SiO2	60676-86-0		65.412	mg		36,000
				Requester		TiO2	13463-67-7		18.443	mg		10,150

			Requester		CaO	1305-78-8		10.702	mg		5,890
			Requester		MgO	1309-48-4		8.921	mg		4,910
Chip	15.800	mg	Requester		Si	7440-21-3		15.705	mg		994,000
			Requester		Al	7429-90-5		0.095	mg		6,000
Die Attach	14.200	mg	Requester		Ag	7440-22-4		11.360	mg		800,000
			Requester		Lead Borate Glass	65997-18-4		2.840	mg		200,000
Au Plate	129.000	mg	Requester		Au	7440-57-5		129.000	mg		1,000,000
LeadFinish	10.500	mg	Requester		Ag	7440-22-4		8.925	mg		850,000
			Requester		Cu	7440-50-8		1.575	mg		150,000
Wires	1.000	mg	Requester		Al	7429-90-5		0.990	mg		990,000
			Requester		Si	7440-21-3		0.010	mg		10,000